

## CORRECTION

**Open Access** 



Michael Killinger<sup>1,2</sup>, Adéla Kratochvilová<sup>3</sup>, Eva Ingeborg Reihs<sup>4,5</sup>, Eva Matalová<sup>3</sup>, Karel Klepárník<sup>1†</sup> and Mario Rothbauer<sup>4,5\*†</sup>

## Correction: J Biol Eng 17, 77 (2023) https://doi.org/10.1186/s13036-023-00395-z

Following the publication of the original article [1] we were informed that an old version of Figure 4 was accidentally provided during the manuscript's submission.

In particular, panel 4G of the Figure showed remnants of data that was revised prior to the manuscript's acceptance for publication.

<sup>+</sup>Karel Klepárník and Mario Rothbauer share last authorship.

The original article can be found online at https://doi.org/10.1186/s13036-023-00395-z.

\*Correspondence:

Mario Rothbauer

mario.rothbauer@meduniwien.ac.at; mario.rothbauer@tuwien.ac.at <sup>1</sup> Department of Bioanalytical Instrumentation, Institute of Analytical

Chemistry, Academy of Sciences, Brno, Czech Republic

<sup>2</sup> Department of Chemistry, Faculty of Science, Masaryk University, Brno, Czech Republic

<sup>3</sup> Laboratory of Odontogenesis and Osteogenesis, Institute of Animal Physiology and Genetics, Academy of Sciences, Brno, Czech Republic

<sup>4</sup> Cell Chip Group, Institute of Applied Synthetic Chemistry, Institute of Chemical Technologies and Analytics, Faculty of Technical Chemistry,

Technical University Vienna, Vienna, Austria

<sup>5</sup> Karl Chiari Lab for Orthopaedic Biology, Department of Orthopedics and Trauma Surgery, Medical University of Vienna, Vienna, Austria



© The Author(s) 2025. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/ficenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.





## Published online: 16 April 2025

## Reference

 Killinger M, Kratochvilová A, Reihs EI, et al. Microfluidic device for enhancement and analysis of osteoblast differentiation in threedimensional cell cultures. J Biol Eng. 2023;17:77. https://doi.org/10.1186/ s13036-023-00395-z.